

SPK 18500

SANY PALFINGER

COMPACT SOLUTION FOR **2 AXLE TRUCKS**




18.3 mt
Max. Lifting
Moment


12.4 m
Max.
Outreach

SPK 18500



SPK 18500 (A)



SPK 18500 (B)




DIMENSIONS



SPK 18500 (C)

TECHNICAL SPECIFICATIONS (EN 12999 H1-B3)



Max. Lifting Moment	mt	18.3
Max. Lifting Capacity	kg	8000
Max. Outreach	m	8.2 (A) / 10.3 (B) / 12.4 (C)
Slewing Angle	o	400
Slewing Torque	mt	2.3
Stabilizer Spread	m	5.640 (R2X) / 6.616 (R3X)
Fitting Space Required (Std)	m	0.873
Width Folded	m	2.496
Operating Pressure	bar	300
Recommended Pump Capacity	l/min	45 - 65
Dead Weight (Std)	kg	2207



* Optional features / country-specific equipment




- Equipped with load holding valves for safe crane operations
- High speed boom extension and retraction with Return Oil Utilization
- Optimized lifting performance with the use of high tensile steel and hexagonal boom design
- Lightweight yet robust construction according to European standards (EN 12999)
- Optional Overload Protection and Emergency Stop Button
- Professional installation solutions with the use of Palsoft programme
- Suitable for installation on 2-axle trucks

*

SERVICE

WE ARE ALWAYS HERE FOR YOU

PROJECT ENGINEERING



The use of PALSOFT and other selected softwares allows us to address the requests of our clientele from subframe design to stability calculations, and deliver the best vehicle integration solutions.

TECHNICAL SUPPORT



Service is PALFINGER's top priority. Your products are overseen by our highly trained and professional service department either in person or via phone and email.

TRAINING



Here at PALFINGER, we offer a multitude of training programmes (Basic Hydraulic Course, Commissioning, etc.) to cover the needs of all our clientele. Certified trainers will conduct these programmes and training documents can be obtained after completion.

GENUINE SPARE PARTS



Our global distributor network provides an efficient local service for all our customers. Backed by PALFINGER's expert recommendation, we ensure the optimal spare part choices for your cranes.

Authorized Dealer:

Asia Pacific Distribution Managed By:
PALFINGER ASIA PACIFIC PTE LTD

3 INTERNATIONAL BUSINESS PARK | NORDIC EUROPEAN CENTRE | # 05-25/26 | 609927 | SINGAPORE | T +65 6591 9191 | F +65 6591 7737
asia@palfinger.com | www.palfinger.com

Applications shown in the leaflet do not always correspond to the standard specifications.
Design and specification are subject to change without prior notice. Dimensions may vary. Subject to technical changes, errors and translation mistakes.